

SAMPLE RECEIVED
July 7, 2026

COA ISSUED
July 13, 2026

SAMPLE INFORMATION

Vendor Peppy	Sample Name BAC Water	Sample Type Clear liquid
Lot Number NA	MW (g/mol) 91.1	

ANALYTICAL METHODS

Identity: Confirmed via LC-MS/MS



Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: BAC Water	Benzyl Alcohol	LC-MS/MS	✓ Conforms
Content		HPLC Quantitation	✓ Conforms
Overall Purity	99.8%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/ml	<USP85>	✓ Conforms
Heavy Metals	<0.01 ppm	<USP232>	✓ Conforms

HPLC Chromatogram · Retention Time 6.235 min



Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at bioviridians.com/coa-search.html using the Web Verification Code above.



info@bioviridians.com

Shane Straight
Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.